Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L45	11	("4367932" "4717934" "5006879" "5111301" "5155581" "5202720" "5400112" "5550611" "5786852" "5808681" "5860029").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/03 20:23
L51	7	("6195127").URPN.	USPAT	OR	OFF	2005/09/03 20:26
L52	16	("4367932" "4460263" "4717934" "4843476" "5006879" "5111301" "5155581" "5202720" "5227836" "5400112" "5438367" "5550611" "5786852" "5808681" "5860029" "6195127").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/03 20:29
L53	2	("6441856").URPN.	USPAT	OR	OFF	2005/09/03 20:30
L65	28	takayama-jun.in.	USPAT	OR	OFF	2005/09/03 21:01
L66	161	MITSUIDA-TAKASHLIN.	USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/03 21:18
L67	0	MITSUIDA-TAKASHI.IN.	USPAT	OR	OFF	2005/09/03 21:19
L68	0	MITSUIDA-TAKASHI.IN.	USPAT; EPO	OR	OFF	2005/09/03 21:19
L69	161	MITSUIDA-TAKASHI.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/03 21:19
L70	23	(US-5933188-\$ or US-6744471-\$ or US-6542194-\$ or US-5664243-\$ or US-4939579-\$ or US-4563708-\$ or US-4984088-\$ or US-6829008-\$ or US-6046466-\$ or US-5031048-\$ or US-5872596-\$ or US-4881127-\$ or US-5229856-\$ or US-5751352-\$ or US-6147706-\$ or US-4963985-\$ or US-5682201-\$ or US-6075562-\$ or US-6195127-\$ or US-5959669-\$ or US-4638365-\$ or US-4599657-\$ or US-6674470-\$).did.	USPAT	OR	OFF	2005/09/03 21:26
S3	1	"052706".ap.	US-PGPUB	OR	OFF	2005/08/31 09:21
S4	1	"052706".ap.	US-PGPUB	OR	OFF	2005/08/30 13:28
S10	1	S4 and (predetermin\$3)	US-PGPUB	OR	OFF .	2005/08/30 13:31
S13	1	S4 and ((elaps\$2 reach\$3 pass\$3) same predetermin\$3)	US-PGPUB	OR	OFF	2005/08/30 14:15
S14	1	S4 and (\$4stepwise)	US-PGPUB	OR	OFF	2005/08/30 14:17
S17	1	S4 and (\$4step\$4)	US-PGPUB	OR	OFF	2005/08/30 14:23
S18	2	("4939579" "4563708").pn.	USPAT	OR	OFF	2005/08/30 14:23
S19	1	("4939579").URPN.	USPAT	OR	OFF	2005/08/30 14:24
S20	14	("4563708").URPN.	USPAT	OR	OFF	2005/08/30 14:29
S21	5	US-4563708-\$.DID. OR US-4573077-\$.DID. OR US-4939579-\$.DID. OR US-5331166-\$.DID. OR US-5937027-\$.DID.	USPAT	OR	OFF	2005/08/30 14:30
S22	2	"6829008".pn.	USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/31 11:37
S24	227	348/297.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/30 19:01
S31	275	348/296.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/30 18:56
S32	39	S31 and photometr\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/30 18:06
S33	3	("5682201").URPN.	USPAT	OR	OFF	2005/08/30 17:10
S34	6	("4710807" "4868667" "5097340" "5187569" "5216511" "5341220").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/30 17:13
S35	109	S31 and ((photodiode\$1 photoelectr\$4 photosens\$3) same (photometr\$3 measur\$3 \$3determin\$3 amount\$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/30 18:29

S36	15	S31 and ((photodiode\$1 photoelectr\$4 photosens\$3) same (photometr\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/30 18:09
\$37	5	("5719625" "5737018" "5751352" "5847756" "5883666").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/03 19:14
S38	24	("4881127").URPN.	USPAT	OR	OFF	2005/08/30 18:19
\$39	51	\$31 and ((photodiode\$1 photoelectr\$4 photosens\$3) same ((measur\$3 \$3determin\$3 amount\$1) near5 (light illumina\$4 lumin\$4)))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/30 18:57
S40	27	\$31 and ((photodiode\$1 photoelectr\$4 photosens\$3) same ((measur\$3 \$3determin\$3) near5 (light illumina\$4 lumin\$4)))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/30 19:08
S41	376	348/302.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/30 19:01
S43	416	348/362.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/30 18:59
S44	225	348/363.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/30 18:59
S45	238	348/364.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/30 18:59
S46	63	348/367.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/30 18:59
S47	345	348/311.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/30 19:01
S48	878	S24 S31 S41 S46	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/30 19:01
S49	460	S48 and ((shutter\$3 releas\$3 mode\$1) and ((tim\$3 clock\$3 puls\$3) same (\$1lasp\$2 pass\$3 end\$3 final\$4)))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/30 19:07
S50	92	\$49 and ((photodiode\$1 photoelectr\$4 photosens\$3) same ((measur\$3 \$3determin\$3) near5 (light illumina\$4 lumin\$4)) photomet\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/30 20:09
S51	67	S49 and ((photodiode\$1 photoelectr\$4 photosens\$3) same (flash\$3 strobe\$2 (light near2 source\$1)) same ((measur\$3 \$3determin\$3) near5 (light illumina\$4 lumin\$4)) photomet\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/30 20:11
S53	227	348/297.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/31 10:11
S54	275	348/296.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/31 10:11
S55	376	348/302.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/31 10:11
S56	63	348/367.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/31 10:11
S57	878	S53 S54 S55 S56	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/31 10:11
S58	460	S57 and ((shutter\$3 releas\$3 mode\$1) and ((tim\$3 clock\$3 puls\$3) same (\$1lasp\$2 pass\$3 end\$3 final\$4)))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/31 11:00
S59	67	\$58 and ((photodiode\$1 photoelectr\$4 photosens\$3) same (flash\$3 strobe\$2 (light near2 source\$1)) same ((measur\$3 \$3determin\$3) near5 (light illumina\$4 lumin\$4)) photomet\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/31 11:10

S60	490	S57 and ((indicat\$3 display\$3 show\$3 warn\$3 alarm\$3) with (expos\$4 accumulat\$4 integrat\$4))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/31 11:00
S61	416	348/362.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/31 10:59
S62	225	348/363.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/31 10:59
S63	671	S61 S62 S56	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/01 17:37
S64	412	S63 and ((indicat\$3 display\$3 show\$3 warn\$3 alarm\$3) with (expos\$4 accumulat\$4 integrat\$4))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/31 11:06
S65	129	S63 and ((photodiode\$1 photoelectr\$4 photosens\$3) same (flash\$3 strobe\$2 (light near2 source\$1)) same ((measur\$3 \$3determin\$3) near5 (light illumina\$4 lumin\$4)) photomet\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/31 11:01
S66	101	S64 and S65	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/31 11:06
S67	248	S63 and ((indicat\$3 display\$3 warn\$3 alarm\$3) with (expos\$4 accumulat\$4 integrat\$4))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/31 11:10
S68	69	S67 and S65	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/31 11:47
S69	85	S63 and ((flash\$3 strobe\$2 bulb\$1 (light near2 source\$1)) same (end\$3 final\$4 flag warn\$3 messag\$3 alarm\$3 continu\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/31 11:13
S70	55	S63 and ((flash\$3 strobe\$2 bulb\$1 (light near2 source\$1)) same (end\$3 final\$4 flag warn\$3 messag\$3 alarm\$3 continu\$3) same (power consumption expos\$4 captur\$3 mode\$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/31 11:16
S71	3	"6819360".pn.	USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/31 11:37
S72	3	("4185191" "5485209" "6674470").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/31 11:37
S73	14	("5172249" "5319225" "5488415" "5516714" "5825056" "5847381" "5917960" "5945774" "6037577" "6046466" "6072206" "6163023" "6291845" "6383860").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/31 11:43
S74	2	("6674470").URPN.	USPAT	OR	OFF	2005/08/31 11:47
S75	1	S73 and photometr\$2	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/31 11:47
S76	3	S73 and (photometr\$2 measur\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/31 11:52
S77	21	S70 and ((aperture\$1 iris\$2) with (\$4step\$4 wing\$5 blade\$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/31 14:57
S78	5	S70 and ((aperture\$1 iris\$2) near2 (mechanical electr\$4))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/02 11:02
S79	30	S70 and ((aperture\$1 iris\$2 shutter) near2 (mechanical electr\$4 driv\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/31 14:59
S80	6	US-5331166-\$.DID. OR US-4573077-\$.DID. OR US-5937027-\$.DID.	USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/01 17:34

S81	63	348/367.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/01 17:37
S82	416	348/362.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/01 17:37
S83	225	348/363.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/01 17:37
S84	671	S82 S83 S81	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/01 17:37
S85	238	348/364.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/01 17:37
S86	855	S82 S83 S81 S85	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/01 17:37
S87	11	S86 and ((aperture\$1 iris\$2 diaphragm\$1) with stepwise\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/02 10:59
S90	1	S86 and ((aperture\$1 iris\$2 diaphragm\$1) with (non\$1 near2 step\$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/01 17:40
S91	92	S86 and ((aperture\$1 iris\$2 diaphragm\$1) with blade\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/01 17:46
S97	16	S91 and photometr\$2	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/01 17:50
S98	63	348/367.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/02 10:59
S99	416	348/362.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/02 10:59
S100	225	348/363.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/02 10:59
S101	238	348/364.ccls.	US-PGPUB; USPAT; USOCR	OR .	OFF	2005/09/02 10:59
S102	855	S99 S100 S98 S101	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/02 10:59
S104	5	S102 and ((aperture\$1 iris\$2 diaphragm\$1) with (stepwise\$1 and continu\$5))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/02 11:03
S105	3	S102 and ((aperture\$1 iris\$2 diaphragm\$1) with (stepwise\$1 and constant\$2))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/02 11:01
S106	47	S102 and ((aperture\$1 iris\$2) near2 mechanical)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/02 11:03
S107	64	\$102 and ((aperture\$1 diaphragm\$1 iris\$2) near2 mechanical)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/02 11:03
S108	2	S107 and ((aperture\$1 iris\$2 diaphragm\$1) with stepwise\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/02 11:15
S109	19	S107 and ((aperture\$1 iris\$2 diaphragm\$1) with blade\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/02 11:05

					т	
S110	30	S107 and ((aperture\$1 iris\$2 diaphragm\$1) with (constant\$2 continu\$5))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/02 11:14
S111	14	S109 and S110	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/02 11:05
S112	36	\$107 and ((aperture\$1 iris\$2 diaphragm\$1) with (automatic\$4 continu\$5))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/02 11:15
S113	310	S102 and ((aperture\$1 iris\$2 diaphragm\$1) with (automatic\$4 continu\$5))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/02 11:15
S114	106	S102 and ((aperture\$1 iris\$2 diaphragm\$1) with (manual\$2 stepwise\$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/02 11:17
S115	241	\$102 and ((aperture\$1 iris\$2 diaphragm\$1) with (manual\$2 stop\$1 f-number\$1 stepwise\$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/02 11:17
S116	106	S114 and S115	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/02 11:50
S117	99	\$116 and ((iris\$2 diaphragm\$1 aperture\$1) same (predetermin\$3 clock\$3 puls\$3 tim\$3 threshold))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/02 11:40
S118	77	\$117 and ((iris\$2 diaphragm\$1 aperture\$1) with (enlarge increas\$3 great\$2 maximum max large\$2))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/02 11:41
S119	17	("4638365").URPN.	USPAT	OR	OFF	2005/09/02 11:45
S120	152	S113 and S115	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/02 11:51
S121	1	S119 and S120	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/02 11:51
S122	11	("4879600").URPN.	USPAT	OR	OFF	2005/09/02 13:07